

GIOVE LINE



对于中等规模的大公司来说，这是一个极好的答案。下边所示的真空包装机，不仅可以满足食品行业的需要，而且完全可以满足各个工业部门的要求。



An excellent answer to the requests of mediumbig companies. The vacuum packing machines shown on the right side, can fully answer to the requests of several industrial sectors, and not only food industries.



Une réponse étudiée exprès pour satisfaire les exigences des industries de dimensions moyennes où grandes. Les machines montrées à coté donnent une réplique totale aux demandes de plus variés secteurs industriels: du milieu alimentaire jusqu'aux autres domaines.



Una respuesta optimal para las exigencias de las empresas medio-grandes. Estas envasadoras al vacío pueden responder a todas las exigencias de los varios sectores industriales, alimenticios y no alimenticios.



Diese Maschinen schauen einer optimalen Antwort auf die Bedürfnisse der mittel – groß Firmen. Die Vakuumverpackungsmaschinen von der Seite komplett antworten auf die Anfrage von Lebensmittelfirmen und auch von anderem industriellen Bereiche.



G I O V E L I N E



XL 100



XL 130




XL 80 DOUBLE

型号 model modèles modelo Modelle	机器尺寸 overall dimension dim. d'encombrement dimensiones Größe	腔体尺寸 size of the chamber dim. de la chambre dim. de la càmara Kammergröße	封口长度 sealing bar barre de soudure barra soldante Schweißleiste	真空泵 vacuum pump pompe du vide bomba de vacío Vakuumpumpe	电压 voltage voltage tensión Spannung
XL 100	1150x800x1150 H	1050x660x230 H	mm1000 / mm550	Q= 100/120 m³h-OIL	400 V/50-60 Hz
XL 130	1400x850x1150 H	1300x710x230 H	mm1250 / mm600	Q= 150/180 m³h-OIL	400 V/50-60 Hz
XL 80 DOUBLE	1900x800x1150 H	(830x740x230 H) x2	(mm 800) x4	Q= 100/120 m³h-OIL	400 V/50-60 Hz


密封棒的位置

SEALING BARS POSITION


XL 100



XL 130



XL 80 DOUBLE




标准功能只适用于腔体式封口机

STANDARD FUNCTION ONLY FOR CHAMBER MACHINES



多功能数字面板-
10prg Multifunction
digit panel - 10 PRG



油泵自动清洗系统
Oil made auto
cleaning system




电子软真空
Electronic soft
vacuum



聚乙烯填充方块
Polyethilene filling
squares set

选配项功能只适用于腔体式封口机

OPTIONALS ONLY FOR CHAMBER MACHINES




怠速气体排放装
置 Arrangement
for idle gas




安装打印机
Printer installation



泵指定品牌Busch
Busch Pump




采用无线活塞密封
Sealing with
cableless pistons



额外的密封棒
Extra Sealing Bar




真空传感器
Vacuum
sensor




产品越出切条
Exceeding
cutting bar




盖钩
Lid Hook




对置密封棒(主动)
Opposed sealing
bar (beactive)



气体扩散器
Gas diffuser



气动封口
Pneumatic sealing



增加真空泵(仅适用于立式设
备) Increased vacuum pump
(only for floor chamber
machine)



电压和特殊频率
Voltage and speciale
frequency



易乳化产品的功能(即蛋黄酱)
Easily emulsifiable products' function (i.e. mayonnaise)

如果你按两次按钮，包装机的开关VAC停止功能激活(提前停止真空工作) Packing machine's switch on/ switch off Activation of VAC STOP FUNCTION (stop in advance the vacuum cycle) if you push the button twice

真空程序的设置
Vacuum programs' setting

真空比例
Vacuum percentage

进气时间
Gas intake time

适用于易乳化产品气容器真空系统的功能 Vacuum system for gastro containers

进气的激活功能
Activation function of the gas intake

逐渐将空气吸入室内
Gradual intake of air into the chamber

真空/气体/密封液位设置
Level setting for Vacuum /Gas / Sealing

真空泵的预热
Vacuum pump's preheating

封口时间
Sealing time

油泵的自动清洗系统
Oil pump's auto-cleaning system

比设定的真空时间多5秒
5 seconds of vacuum more than the established pro-gram settings

控制面板
CONTROL PANEL